

SATAS CERTIFIED SUPPLIERS

16 July 2024

CERTIFIED SUPPLIERS ISO/IEC 17065

Note: This list is updated regularly to reflect the latest information on valid certifications. Information on suspensions, cancelations and re-instatements is available on request.

COMPANY NAME ADDRESS	CERT NO	TEL/FAX NO	STANDARD		TRADE MARK	CERTIFICATION STATUS
White River Timber Saw Mills (Pty) LTD	2	Tel 013 751 1111	SANS 1783-1	General requirements of sawn softwood timber	WRSM	ACTIVE
t/a White River Sawmill PO Box 97 White river, 1240.		Fax 013 751 3391 cjacobsz@wrsm.co.za edwin@wrsm.co.za	SANS 1783-2 SANS 1783-4 SANS 10096	Visual grade structural timber, Grade 5 and Grade 7 including finger jointing. Proof graded 50mm x 76mm grade5 structural timber including finger jointing Visula grade brandering and battens including finger jointing Finger jointed timber		
Name: White River Saw Mills (Pty) Ltd T/a: Densa Sawmills	3	Tel 072 921 3901 Fax 013 752 4572	SANS 1783-1 SANS 1783-2	General requirements of sawn softwood timber Visual grade structural timber, Grade 5 and grade 7 including finger jointing. Proof graded 50mm x 76mm and 36mm x 76mm grade 5 and grade 7 structural timber including finger jointing.	WRSM-D	ACTIVE
Postal Address: PO Box 97 White River 1240		dmdensa@wrsm.co.za valueaddman@wrsm.co.za	SANS 1783-4 SANS 10096 SANS 1460 SANS 1288	Visual grade Brandering and Battens including finger jointing Finger jointed timber Laminated beams Product: Preservative Treated Timber Chemical: WCCA Hazard class: H2, H3 Process: Full Cell		
Name: Verulam Sawmills (Pty)Ltd T/a: Verulam Sawmills	5	Tel 013 712 3185 Fax 013 712 2110	SANS 1783-1 SANS 1783-2	General requirements of sawn softwood timber Visual grade structural timber, Grade 5 and grade 7 including finger jointing.	VRM	ACTIVE
Postal Address: PO Box 922 Barberton 1300		admin@versaw.co.za	SANS 1783-4 SANS 10096	Visual grade Brandering and Battens including finger jointing Finger jointed timber		
UCL Company P O Box 1 Dalton 3236	8	Tel: (033) 940 0040 uclsawmillsales@ucl.co.za	SANS 1783-1 SANS 1783-2 SANS 1783-4 SANS 10096	General requirements of sawn softwood timber Visual grade structural timber, Grade 5 and grade 7 including finger jointing. Visual grade Brandering and Battens including finger jointing Finger jointed timber	(HFCK) UCL	ACTIVE
			SANS 1288	Product: Treated Sawn Timber Chemical: WCCA Hazard Class: H2 & H3 Process: Full Cell Process		
Weza Sawmill PO Box 20 Weza 4685	11	Tel: 082 324 8713 Fax: N/A E-mail: fritzv@merensky.co.za	SANS 1783-1 SANS 1783-2 SANS 1783-4 SANS 1288	General requirements of sawn softwood timber Visual grade structural timber, Grade 5 excluding finger jointing. Visual grade Brandering and Battens excluding finger jointing Product: Preservative treated Timber Chemical: WCCA and Creosote Hazard class: H2, H3 and H4 Process: Full Cell Process	W – MERENSKY	ACTIVE
Name: Singisi Forest Products (Pty) Ltd T/a: Langeni Sawmills	12	Tel: 047 541 0011 Fax: 047 541 0003	SANS 1783-1 SANS 1783-2	General requirements of sawn softwood timber Visual grade structural timber, Grade 5 including finger jointing.	(For SANS 1783-1/2): Merensky L (For SANS 1783-4): Langeni	ACTIVE
Postal Address: PO Box 642 Mthatha 5099		phillipt@merensky.co.za funizwen@merensky.co.za	SANS 1783-4 SANS 10096 SANS 457-3	Visual grade Brandering and Battens including finger jointing Finger jointed timber Treated structural poles, droppers, and guardrail posts.	(For SANS1288 & 457-3): LFP	
York Timbers (Pty) Ltd Private Bag X501 Sabie 1260	14	Tel: 013 764 9000 Fax: 013 764 1625 E-mail: jpotgieter@york.co.za	SANS 1783-1 SANS 1783-2 SANS 1783-4 SANS 10096	General requirements of sawn softwood timber Visual grade structural timber, Grade 5 including finger jointing. Visual grade Brandering and Battens including finger jointing Finger jointed timber	YORK-S	ACTIVE

			SANS 1288	Product: Preservative Treated Timber Chemical: WCCA Hazard class: H2 and H3 Process: Full cell		
Name: York Timbers (Pty) Ltd	15	Tel: (017) 845 1337	SANS 1783-1	General requirements of sawn softwood timber	YORK-J	ACTIVE
T/a: Jessievale Saw Mill		Fax: (017) 845 1406	SANS 1783-2	Visual grade structural timber, Grade 5		
Postal Address:		mmaloka@york.co.za	SANS 1783-4	Visual grade Brandering and Battens		
P.O Box 25		ethela@york.co.za	SANS 1288	Product: Preservative Treated Timber Chemical: WCCA Hazard class: H2, H3 and H4 Process: Full cell		
Warburton						
2333						
York Timbers (Pty)Ltd	16					CANCELLED
Mannys Timber & Hardware (Pty) Ltd	18	Tel 011 578 5600	SANS 1783-1	General requirements of sawn softwood timber	Mannys	ACTIVE
T/a: Mannys Timber & Hardware		Fax 011 578 5689	SANS 1783-2	Mechanical graded structural timber, Grade 7 excluding finger jointing.		
PO Box 15531		barryg@mannys.co.za	SANS 1900	Monoplanar prefabricated roof trusses		
Farrarmere, 1518						
Name: RF Gevers (Pty) Ltd	19	Tel: (034) 982 6000/1/2	SANS 1783-1	General requirements of sawn softwood timber	R F G	ACTIVE
T/a: RF Gevers		Fax: N/A	SANS 1783-2	Visual grade structural timber, Grade 5 including finger jointing.		
PO Box 32		E-mail: kelvin@rfgsawmill.co.za	SANS 1783-4	Visual grade Brandering and Battens including finger jointing		
Vryheid			SANS 10096	Finger jointed timber		
3100			SANS 1288	Product: Preservative Treated Timber Chemical: WCCA Hazard class: H2 and H3 Process: Full cell		
Prestprops 1267 cc	21	Tel: 082 926 1624	SANS 457-3	Product: Wooden poles, droppers, guardrail posts and spacer blocks Chemical: WCCA Hazard class: H2, H3, H4, and H5 Process: Full cell process	BP	ACTIVE
T/a: Bundu Pale		mwbundu@vodamail.co.za	SANS 1288	Product: Preservative-treated timber Chemical: WCCA Hazard class: H2, H3, H4, and H5 Process: Full cell process		
Postal Address:						
PO Box 98						
Schagen						
1207						
Name: Merensky Timber (Pty) Ltd	23	Tel: 021 945 1444	SANS 1288	Product: Preservative Treated Timber Chemical: WCCA Hazard class: H2 and H3 Process: Full cell	Merensky	ACTIVE
T/a: Northern Timbers		Fax: ----				
Postal Address:		E-mail: pieters@merensky.co.za				
PO Box 1343						
Tzaneen						
850						
Stevens Lumber Mills (Pty) Ltd	24	Tel: 015 276 6200	SANS 1783	Structural Timber, Brandering, Battens Treated Timber	SLM	CANCELLED:
Name: York Timbers (Pty) Ltd	31	Tel: 013 764 9134	SANS 929	Rotary cut pine plywood structural and commercial grades A, B, C And D	YORK P	ACTIVE
T/a: Plywood Division		E-mail: jpotgieter@york.co.za				
Postal Address:						
Private Bag X501						
Sabie						
1260						

The Building Company T/A: Buco Pinetown	32						CANCELLED: 08/05/2024
Jetteson Timbers cc	47	Tel 033 330 5442	SANS 1783-1	General requirements of sawn softwood timber		KTC	ACTIVE
PO Box 571		Fax 033 330 2014	SANS 1783-2	Visual grade structural timber, Grade 5 excluding finger jointing.			
Howick		bblraw@mweb.co.za	SANS 1783-4	Visual grade Brandering and Battens excluding finger jointing			
3290			SANS 1288	Product: Preservative Treated Timber Chemical: WCCA Hazard class: H2 and H3 Process: Full cell			
T/a: Sun Corporation	51	Tel: 011 693 1005	SANS 457-3	Product: Structural poles, Fencing poles, Guardrail Posts and Droppers Chemical: CCA Hazard class: H3 and H4 Process: Full cell process		SUN	ACTIVE
Postal Address:		E-mail: tanya@lantic.net	SANS 1288	Product: Treated timber Chemical: CCA Hazard class: H2, H3 and H4 Process: Full cell process			
PO. Box 604							
Tarlton							
1749							
Dunstone Timber & Game Farm cc	59	Tel: 082 787 1283	SANS 457-3	Full-Cell Process Eucalyptus Structural & Agricultural Poles, Fencing Poles & Droppers. Hazard Class H2, H3, H4 & H5.		Dunstone	ACTIVE
P O Box 26795		dunstonetimber@gmail.com	SANS 1288	Product: Eucalyptus Structural & Agricultural Poles,Fencing Poles & Droppers. Chemical: WCCA Hazard Class: H2, H3, H4 & H5. Process: Full Cell Process			
Plains							
4243							
Midlands Timbers	65	Tel:(033) 386 5715	SANS 1783-1	General requirements of sawn softwood timber		MDT	ACTIVE
P O Box 308		david@safind.co.za	SANS 1783-2	Visual grade structural timber, Grade 5 excluding finger jointing.			
Msunduzi			SANS 1783-4	Visual grade Brandering and Battens excluding finger jointing			
Pietermaritzburg			SANS 1288	Product: Preservative Treated Timber Chemical: WCCA Hazard class: H2 and H3 Process: Full cell			
3231							
Name: Yonder Lea Timber (Pty) Ltd	89	Tel: 043 683 1024	SANS 457-3	Product: Structural poles, Fencing poles, Guardrail Posts and Droppers. Chemical: CCA Hazard class: H3, H4 and H5 Process: Full cell process.		YON	ACTIVE
T/a: Yonder Lea Timber (Pty) Ltd		Fax: 086 574 5238	SANS 1288	Product: Treated timber Chemical: CCA Hazard class: H2, H3, H4 and H5 Process: Full cell process.			
Postal Address:		yonderlea@gmail.com					
PO Box 206							
Stutterheim							
4930							
YORK Timbers PTY Ltd	93					YORK-R	CANCELLED: 04-02-2022
NHR Investment (Pty) Ltd T/a: Swazi Poles	101					SWAZI	CANCELLED: 09-11-2021

Name: Lawa Estates	108	Tel: 017 845 1203	SANS 1783-1	General requirements of sawn softwood timber	LA-WA	ACTIVE
T/a: Lawa Estates		Fax: 086 579 4150	SANS 1783-2	Visual grade structural timber, Grade 5 including finger jointing.		
Postal Address:		E-mail: duplessissimon@gmail.com	SANS 1783-4	Visual grade Brandering and Battens including finger jointing		
P.O Box 39			SANS 10096	Finger jointed timber		
Lothair						
2370						
LCP Roofing	114	Tel: 0861 LCP ROOF	SANS 1900	Roof Trusses	LCP ROOFING	ACTIVE
Postnet Suite 243 Private Bag X37		Fax: 012 811 0056				
Lynnwood ridge, 0040		lyndsay@lcproofing.co.za				
Name: J.W Sonnekus	116	Tel: 072 295 6000	SANS 457-3	Wooden poles, Guardrail Posts and Droppers.	SON	ACTIVE
T/a: Majuba Poles		Fax: N/A	SANS 1288	Product: Treated timber Chemical: CCA Hazard class: H3 and H4 Process: Full cell process.		
Postal Address:		admin@majubaguestlodge.co.za				
P O Box 762						
Volksrust						
Name: Furniture & Building Products (Pty) Ltd	117	Tel: 072 122 8075	SANS 1783-1	General requirements of sawn softwood timber	EGT	ACTIVE
T/a: Evergreen Timbers		Fax: N/A	SANS 1783-2	Visual grade structural timber, Grade 5		
Postal Address:		E-mail: andrew@egh.co.za	SANS 1783-4	Visual grade Brandering and Battens		
P O Box 3335						
Pietermaritzburg						
3200						
Brits Poles SA T/a: Brits Poles SA Postnet Suite #28 Private Bag X5091 Brits	121					CANCELLED: 10-01-2022
250						
WOODVALE TIMBERS (Pty) Ltd	122	Tel: 014 736 4991	SANS 457-3	Product: Preservative Treated Eucalyptus poles, Structural and Fencing Poles Chemical: WCCA Hazard Class: H3 and H4 Process: Full Cell Process	VALE	ACTIVE
P O Box 1260		Fax: 086 579 7517	SANS 1288	Product: Preservative Treated Timber Chemical: WCCA Hazard Class: H2, H3 and H4 Process: Full Cell Process		
BelaBela, 0480		office@woodvale.co.za				
Name: RSB (PTY) LTD	132	Tel: 011 761 6900	SANS 1460	Laminated Timber Finger-jointed structural timber	RSB	ACTIVE
T/a: RSB		Fax: 011 762 6900	SANS 545	Wooden Doors		
Postal Address:		craig@rsbgroup.co.za				
P O Box 1014						
Randfontein						
1760						
Tekwani-Empuluzi Sawmill	134				ET	CANCELLED 2021-04-06
T/a: Biligom International (Pty) Ltd	147				BILIGOM	CANCELLED
T/a: Biligom International (Pty) Ltd	148					CANCELLED
Africa Timber Marketing	150	Tel: 012 802 2012	SANS 545	Wooden Doors	ATM	ACTIVE
PO Box 1102		Fax: 086 509 7603				
Rayton		atm@lantic.net				
1001						
Quickco Trading 045 cc T/a: Timboard Unlimited	151				TBRD	CANCELLED 04-05-2022

Nox Timbers	153	Tel: 072 437 1899	SANS 457-3	Product: Preservative Treated Eucalyptus poles, Structural and Fencing Poles Chemical: WCCA Hazard Class: H2, H3, H4 & H5 Process: Full Cell Process	NOX	ACTIVE
P.O.Box 15828, Nelspruit		theo@noxtimbers.co.za	SANS 1288	Product: Preservative Treated Timber Chemical: WCCA Hazard Class: H2, H3 and H4 Process: Full Cell Process		
1211						
Merensky OD	158	Tel: 010 590 4408	SANS 1783-1	General requirements of sawn softwood timber	MERENSKY OD	ACTIVE
69-70 Technology Crescent		Fax: 010 593 2100	SANS 1783-2	Visual grade structural timber, Grade 5 including finger jointing.		
Klipriver Business Park, Midvaal		portiag@merensky.co.za	SANS 1783-4	Visual grade Brandering and Battens including finger jointing		
		primrosen@merensky.co.za	SANS 10096	Finger jointed timber		
Eswatini Treated Timber	159	Tel: 00268 2472 8070	SANS 1288	Product: Preservative Treated Timber Chemical: WCCA Hazard Class: H2, H3 and H4 Process: Full Cell Process	ETT	ACTIVE
PO Box 6852		Fax: (+268) 2472 8083	SANS 1783-1	General requirements of sawn softwood timber		
Mbabane		Troy.dodson@sawziplant.com	SANS 1783-2	Visual grade structural timber, Grade 5 including finger jointing.		
Eswatini			SANS 1783-4	Visual grade Brandering and Battens including finger jointing		
H100			SANS 10096	Finger jointed timber		
T/a: Diggersrest Timber Company (PTY) Ltd	162	Tel: 078 802 6212	SANS 457-3	Product: Fencing Poles and droppers Chemical: WCCA And creosote Hazard Class: H3, H4 & H5 Process: Full Cell Process & Creosote - open tank	DIG	ACTIVE
Postal Address:		Fax: 086 276 4009	SANS 1288	Product: Preservative Treated Timber Process: Full Cell Process & Creosote - open tank Chemical: WCCA And creosote Hazard Class: H2, H3, H4 and H5 Process: Full Cell Process		
PO Box 74		mark@diggersrest.co.za				
Tzaneen						
0850						
Name: Autumn Leaf Trading cc	164	Tel: 082 805 7001	SANS 1783-1	General requirements of sawn softwood timber	TJ	ACTIVE
T/a: Timber Junction		Fax: N/A	SANS 1783-2	Visual grade structural timber, Grade 5 including finger jointing.		
Postal Address: P O Box 601		E-mail: brucerachel1@gmail.com	SANS 10096	Finger jointed timber		
Hilton						
3245						
Name: Highlands Sawmill (Pty) Ltd	165	Tel: 082 447 6692	SANS 1288	Full-Cell Process WCCA Preservative Treated Timber Hazard Class H2 & H3	HS	ACTIVE
T/a: Highlands Sawmill		highlandssawmill1@gmail.com				
Postal Address: P O BOX 75,						
Harding						
4680						
DREVOTERM	201					CANCELLED
Name: Foresta Timber & Board (Pty) Ltd	207	Tel: 011 864 7966	SANS 1783-1	General requirements of sawn softwood timber	FTG	ACTIVE
T/a: Foresta Timber & Board (Pty) Ltd		Fax: 086 678 3325	SANS 1783-2	Visual grade structural timber, Grade 5 including finger jointing.		
Postal Address:		E-mail: michael@foresta.co.za	SANS 1783-4	Visual grade Brandering and Battens including finger jointing		
PO Box 11104			SANS 10096	Finger jointed timber		
Randhart						
1457						
Sunshine Manufacturing	230	Tel: 041 486 1132	SANS 545	Wooden Doors	Sunshine Mnfg	ACTIVE
4 Phillip Robinson Ave		Fax: -----				
Deal Party		dkibble@lantic.net				

Port Elizabeth 6012		production@sunshinemfg.co.za					
Lokuhle Trading and Projects T/a: Lokuhle Trading and Projects	224						CANCELLED: 09-03-2022
Name: Lion Match Products (Pty) Ltd	232	Tel: 012 492 4026	SANS 1148	Wooden Safety Matches		Lion, Blue Lion, Zebra,	ACTIVE
T/a: Lion Match Products (Pty) Ltd		Fax: 012 542 3265				Zebra Plain, Pala Pala	
Postal Address:		rebeccam@lionmatch.co.za					
PO Box 911-057							
Rossllyn 200							
Titan Structural Components	254					TSC	CANCELLED 2021/04/06
Patula Sawmills (Pty) Ltd	258					PP	CANCELLED: 10/05/2025
Numill marketing (Pty) Ltd Postnet Suit 248	259					NM	CANCELLED
Private Bag X15, Somerset West 7129							20-04-2020
Solid Doors (PTY) LTD	260					Solid Doors Ga-Rankua	CANCELLED 2021/02/01
Limpopo Lumber Products cc	261					LLP	CANCELLED 2021/02/01
Name: Umzimkhulu Treated Timbers(Pty) Ltd	265	Tel: 082 084 4410	SANS 457-3	Product: Eucalyptus Structural Poles, Fencing Poles, Guardrail Posts, Droppers and Spacer blocks Chemical: WCCA and Creosote Hazard class: H2, H3 and H4 Process: Full Cell		UTT	ACTIVE
T/a: Umzimkhulu Treated Timbers(Pty) Ltd		Fax: 086 514 8986	SANS 1288	Product: Preservative treated timber Chemical: WCCA and Creosote Hazard class: H2, H3 and H4 Process: Full Cell			
Postal Address:		E-mail: ncebamlonzi4@gmail.com	SANS 754	Product: Preservative treated Eucalyptus poles, cross-arms and spacers for power distribution and communications systems Chemical: WCCA and Creosote Hazard class: H3 and H4 Process: Full Cell			
P O Box 530 Umzimkhulu, 3297							
Knysna Leisure Industries cc	266						CANCELLED: 02-02-2024
MLL Interiors cc	275					ECO-MD ECO-HD	CANCELLED 2021/02/01
Name: The Umtombeni Trust	276	Tel: 082 337 5159	SANS 1288	Product: Preservative treated timber Chemical: WCCA Hazard class: H2, H3 and H4 Process: Full Cell		UMT	ACTIVE
T/a: The Umtombeni Trust		Fax: N/A					
Postal Address:		E-mail: glenn@thembeforestry.co.za					
PO Box 164 Harding 4680							
Company Name: Grand Timber (Pty) Ltd	287	Tel: 015 516 4252	SANS 457-3	Treated timber		GRAND	ACTIVE

T/A: Grand Timber PO Box 373 Louis Trichardt Sterkstroom Farm NA 17 920		luondepoles@crcnet.co.za	SANS 1288	Treated timber		
Montigny Investment T/a: Swazi Poles	288					CANCELLED
Name: Swartland Investments (Pty) Ltd T/a: Swartland Investments (Pty) Ltd Postal Address: PO Box 216 Moorreesburg 7310	282	Tel: 021 573 7500 Fax: 021 577 2760 derrick.nel@swartland.co.za Ernest.adams@swartland.co.za	SANS 545	Wooden Doors	MRB	ACTIVE
Name: Swartland Investments (Pty) Ltd T/a: Swartland Investments (Pty) Ltd Postal Address: PO Box 216 Moorreesburg 7310	283	Tel: 022 433 8000 Fax: 022 557 2760 derrick.nel@swartland.co.za Johan.opperman@swartland.co.za	SANS 545	Wooden Doors	SBD	ACTIVE
Herrmann & Vogel Spol. s r.o. Dedinska 29 161 00 Prague 6 Czech Republic Europe	290	Tel: +420607822558 Klara@holz.cz	SANS 1460	Structural grade 5, laminated timber finger jointing included Species: SPRUCE Exposure class: Interior	Novaspruce KVH Novaspruce DUO and TRIO	ACTIVE
Setecept (Pty) LTD P.O. Box 15313 Westmead 3608	292	Tel: 064 510 6152 Fax: 031 717 6868 niell@setecept.co.za	SANS 545	Wooden Doors	SETECEPT	ACTIVE
Eland Pale	295					CANCELLED: 10-11-2023
Fynbos Loggings cc	297	Tel: 083 605 9979	SANS 457-3	Product: Structural poles, guardrail posts and droppers Chemical: CCA Hazard class: H3 and H4 Process: Full cell process.	FB	ACTIVE
Fynbos Poles PO Box 310 Gansbaai 7220		Fax: 028 384 1587 headoffice@fynbospoles.co.za sales@fynbospoles.co.za	SANS 1288	Product: Preservative Treated timber Chemical: CCA Hazard class: H2, H3 and H4 Process Full cell process		
Capio Lumber (Pty) Ltd	299					CANCELLED 28-06-2022
Name: La Provance Lys Werke (Pty) Ltd T/a: La Provance Postal Address: P.O Box 246 Graskop 1270	300	Tel: 013 767 1433 E-mail; sales@laprovance.co.za	SANS 1288 SANS 1783-1 SANS 1783-3 SANS 457-3	Product: Preservative-treated timber ,Chemical: WCCA, Hazard class: H2, H3, H4 and H5 Process: Full cell General requirements Industrial timber Product: Treated poles, structural poles, fencing poles and droppers. Chemical: WCCA, Hazard class: H2, H3, H4 and H5, Process: Full cell	LPP	ACTIVE
Name: Panel & Pane Joinery cc	302	Tel: 083 251 9264	SANS 545	Wooden Doors	Panel & Pane Joinery	

T/a: Panel & Pane Joinery		Fax: N/A				ACTIVE
Postal Address: P.O Box 347		E-mail: terry@panelandpane.co.za				
Gillitts						
3603						
Tiger Timbers KYA (Pty) LTD T/a: Tiger Timbers	304					CANCELLED
PO box 30955 Kyalami						15-03-2023
Solid Doors (PTY) LTD	307	Tel: 011 234 1901	SANS 545	Wooden Doors	Solid Doors	ACTIVE
6 Mathinus Street		Fax: 011 234 1925				
Brits		E-mail: celeste@soliddoors.co.za				
North West						
250						
XLAM South Africa (Pty) Ltd	309	Tel:084 661 1095	SANS 8892	Cross-laminated timber, softwood. Grades 5,7,8,10 & 14	XLAM	ACTIVE
Corner White and Tokai Road Retreat		jamie@xlam.co.za				
Cape Town 7945						
Name: G-Worx Fourteen (Pty) Ltd	315	Tel: 047 531 6051 / 2	SANS 457-3	Product: Structural poles, guardrail posts and droppers Chemical: CCA Hazard class: H3 and H4 Process: Full cell process	GWX	ACTIVE
T/a: G-Worx Fourteen (Pty) Ltd		Fax: 086 606 1923	SANS1288	Product: Treated timber Chemical: CCA Hazard class: H2, H3 and H4 Process Full cell process		
Postal Address:		E-mail: tandie@gworxfourteen.co.za				
Private Bag 6022		Nomveliso: debtors@gworxfourteen.co.za				
Mthatha						
5099						
Name: Agentimber (Pty) Ltd	317	Tel: 011 724 4200	SANS 1783-1	General requirements of sawn softwood timber	YORK-R	ACTIVE
T/a: Agentimber (Pty) Ltd		Fax: 011 865 2204	SANS 1783-2	Visual grade structural timber, Grade 5 including finger jointing.		
Postal Address: P O Box 14245		E-mail: kerasmus@york.co.za	SANS 1783-4	Visual grade Brandering and Battens including finger jointing		
Wadeville			SANS 10096	Finger jointed timber		
1422						
Setecept	318	Tel: 064 510 6152	SANS 545	Wooden Doors		ACTIVE
P O Box 15313		Fax: 031 717 6868				
Westmead		niell@setecept.co.za				
3608						
Name: JP Bothma	321	Tel: 083 254 4340	SANS 1288	Product: Preservative-treated timber Chemical: WCCA Hazard class: H2, H3 and H4 Process: Full cell	CP	ACTIVE
T/a: Clifton Pine		E-mail: cliftonpine7@gmail.com	SANS 1783-1	General requirements of sawn softwood timber		
Postal Address:			SANS 1783-2	Visual grade structural timber, Grade 5 including finger jointing.		
Postnet Suite 1205						
Private Bag x9013						
Ermelo						
2350						
Name: Pierre Dreyer Roofing cc	323	Tel: 082 656 0433 (Pierre Dreyer)	SANS 1288	Product: Preservative treated timber Chemical: WCCA Hazard Class: H2, H3 and H4 Process: WCCA: full cell process	HTS	ACTIVE
T/a: Houteniqua Treatment Services		Tel: 082 869 3235 (Arnold Rossouw)		Product: Preservative treated timber Chemical: Vacsol Azure Type O Hazard Class: H2 Process: Vacuum impregnation double vacuum		
Postal Address:		E-mail: accounts@pletroofing.co.za				

PO Box 540		arnold@houteniqua.co.za				
Plettenberg Bay						
6600						
Trade Avail 361 cc						
333	Tel: 021 577 1818	SANS 545	Meranti & Kiaat hardwood batten door, framed, ledged and braced	BW 1 FL & B	ACTIVE	
T/a: Best Wood Joinery	E-mail: charles@bestgroup.co.za					
12 Josias Blanckenberg Street						
Atlantis Industrial						
Cape Town						
7349						
Name: Sotsho Treated Timbers (Pty) Ltd						
334	Tel: 064 801 2220	SANS 457 - 3:	Full-Cell Process Eucalyptus Structural & Agricultural Poles, Fencing Poles & Droppers. Hazard Class H2, H3, H4 & H5.	STP	ACTIVE	
T/a: Sotsho Treated Timbers	Fax: N/A	SANS 1288:	Chemical: WCCA Hazard Class: H2, H3, H4 & H5. Process: Full Cell Process			
PO Box 560	E-mail: sotshongaye.sivuyise94@gmail.com					
Flagstaff, 4810						
Name: Real Wooden Doors (Pty) Ltd						
335	Tel: 011 882 6506	SANS 545	Wooden Doors	Lotus Wood Products	ACTIVE	
T/a: Real Wooden Doors (Pty) Ltd	E-mail: Colinc@Interwil.co.za			Real Wooden Doors		
Postal Address: P O Box 10342						
Johannesburg						
2000						
Name: Raiply Malawi Ltd						
336	Tel: 00265999071689	SANS 754	Product: Eucalyptus Transmission poles Chemical: CREOSOTE Hazard class: H4 Process: Creo - Full Cell		ACTIVE	
T/a:Raiply Malawi Ltd	E-mail: biju@raiplyblantyre.com	SANS 457-3	Product: Building, Fencing Poles and Droppers Chemical: CREOSOTE Hazard class:H3 and H4 Process: Creo - Full Cell			
Post Bag No1		SANS 1288	Product: Preservative Treated Timber Chemical: CREOSOTE Hazard class: H3 and H4 Process: Creo - Full Cell			
Chikangawa		SANS 1460	Glulam products not for structural purpose. Boards and shelving.			
Mzimba						
Malawi						
Mass Timber Technologies (PTY) Ltd						
339	Tel: 082 826 3434	SANS 8892	Cross Laminated Timber	MTT	ACTIVE	
T/a: Mass Timber Technologies	E-mail: tyron@masstimbtech.co.za					
Postal Address:						
16 Macarthur Avenue						
Robindale						
Johannesburg						
2194						
Hardwood Doors (Pty) Ltd						
343	Tel: 0125466520	SANS 545	Wooden Doors	HD and HH	ACTIVE	
Postal Address:	E-mail: info@hardwooddoors.co.za					
Po Box 18411						
Pretoria North						
116						
Pages Timber						
345	Tel: 0827878162	SANS 545	Wooden Doors	PT	ACTIVE	
Po Box 10540	E-mail: allan@pagestimber.co.za					
Strubenvale						
Springs 1570						

Holzbau Cpt (Pty) Ltd	350	Tel (Cell only): 083 619 0473	SANS 1460	Laminated beams	HOLZBAUCPT	<u>ACTIVE</u>
13 Elektron Road		Fax: -----	SANS 10096	Finger-jointed timber		
Bellville		E-mail: mj@holzbaucpt.com				
Cape Town						
7530						