

**SATAS CERTIFIED SUPPLIERS**  
**18 September 2024**  
**CERTIFIED SUPPLIERS ISO/IEC 17065**



Note: This list is updated regularly to reflect the latest information on valid certifications. Information on suspensions, cancelations and re-instatements is available on request.

COMPANY NAME ADDRESS	TEL/FAX NO	CERT	EXPIRY DATE	STANDARD	PRODUCT	TRADE MARK	STATUS
White River Timber Saw Mills (Pty) LTD	Tel 013 751 1111	2	31/08/2027	SANS 1783-1	General requirements of sawn softwood timber	WRSM	<u>ACTIVE</u>
t/a White River Sawmill PO Box 97	Fax 013 751 3391			SANS 1783-2	Visual grade structural timber, Grade 5 and Grade 7 including finger jointing. Proof graded 50mm x 76mm grade5 structural timber including finger jointing		
White river, 1240.	cjacobsz@wrsm.co.za			SANS 1783-4	Visula grade brandering and battens including finger jointing		
	edwin@wrsm.co.za			SANS 10096	Finger jointed timber		
Name: White River Saw Mills (Pty) Ltd	Tel 072 921 3901	3	31/08/2027	SANS 1783-1	General requirements of sawn softwood timber	WRSM-D	<u>ACTIVE</u>
T/a: Densa Sawmills	Fax 013 752 4572			SANS 1783-2	Visual grade structural timber, Grade 5 and grade 7 including finger jointing. Proof graded 50mm x 76mm and 36mm x 76mm grade 5 and grade 7 structural timber including finger jointing.		
Postal Address:	dmdensa@wrsm.co.za			SANS 1783-4	Visual grade Brandering and Battens including finger jointing		
PO Box 97	valueaddman@wrsm.co.za			SANS 10096	Finger jointed timber		
White River				SANS 1460	Laminated beams		
1240				SANS 1288	Product: Preservative Treated Timber Chemical: WCCA Hazard class: H2, H3 Process: Full Cell		
Name: Verulam Sawmills (Pty)Ltd	Tel 013 712 3185	5	31/08/2027	SANS 1783-1	General requirements of sawn softwood timber	VRM	<u>ACTIVE</u>
T/a: Verulam Sawmills	Fax 013 712 2110			SANS 1783-2	Visual grade structural timber, Grade 5 and grade 7 including finger jointing.		
Postal Address:	admin@versaw.co.za			SANS 1783-4	Visual grade Brandering and Battens including finger jointing		

PO Box 922				SANS 10096	Finger jointed timber		
Barberton							
1300							
<b>UCL Company</b>							
UCL Company	Tel: (033) 940 0040	8	26/02/2025	SANS 1783-1	General requirements of sawn softwood timber	(HFCK) UCL	<u>ACTIVE</u>
P O Box 1	uclsawmillsales@ucl.co.za			SANS 1783-2	Visual grade structural timber, Grade 5 and grade 7 including finger jointing.		
Dalton				SANS 1783-4	Visual grade Brandering and Battens including finger jointing		
3236				SANS 10096	Finger jointed timber		
				SANS 1288	Product: Treated Sawn Timber Chemical: WCCA Hazard Class: H2 & H3 Process: Full Cell Process		
<b>Weza Sawmill</b>							
Weza Sawmill	Tel: 082 324 8713	11	31/12/2025	SANS 1783-1	General requirements of sawn softwood timber	W – MERENSKY	<u>ACTIVE</u>
PO Box 20	Fax: N/A			SANS 1783-2	Visual grade structural timber, Grade 5 excluding finger jointing.		
Weza	E-mail: fritzv@merensky.co.za			SANS 1783-4	Visual grade Brandering and Battens excluding finger jointing		
4685				SANS 1288	Product: Preservative treated Timber Chemical: WCCA and Creosote Hazard class: H2, H3 and H4 Process: Full Cell Process		
<b>Name: Singisi Forest Products (Pty) Ltd</b>							
Name: Singisi Forest Products (Pty) Ltd	Tel: 047 541 0011	12	12/01/2025	SANS 1783-1	General requirements of sawn softwood timber	(For SANS 1783-1/2): Merensky L	<u>ACTIVE</u>
T/a: Langeni Sawmills	Fax: 047 541 0003			SANS 1783-2	Visual grade structural timber, Grade 5 including finger jointing.	(For SANS 1783-4): Langeni	
Postal Address:	<a href="mailto:phillipt@merensky.co.za">phillipt@merensky.co.za</a>			SANS 1783-4	Visual grade Brandering and Battens including finger jointing	(For SANS1288 & 457-3): LFP	
PO Box 642	funizwen@merensky.co.ca			SANS 10096	Finger jointed timber		
Mthatha				SANS 457-3	Treated structural poles, droppers, and guardrail posts.		

5099							
York Timbers (Pty) Ltd	Tel: 013 764 9000	14	26/02/2025	SANS 1783-1	General requirements of sawn softwood timber	YORK-S	<u>ACTIVE</u>
Private Bag X501	Fax: 013 764 1625			SANS 1783-2	Visual grade structural timber, Grade 5 including finger jointing.		
Sabie	E-mail: jpotgieter@york.co.za			SANS 1783-4	Visual grade Brandering and Battens including finger jointing		
1260				SANS 10096	Finger jointed timber		
				SANS 1288	Product: Preservative Treated Timber Chemical: WCCA Hazard class: H2 and H3 Process: Full cell		
Name: York Timbers (Pty) Ltd	Tel: (017) 845 1337	15	26/02/2025	SANS 1783-1	General requirements of sawn softwood timber	YORK-J	<u>ACTIVE</u>
T/a: Jessievale Saw Mill	Fax: (017) 845 1406			SANS 1783-2	Visual grade structural timber, Grade 5		
Postal Address:	<a href="mailto:mmaloka@york.co.za">mmaloka@york.co.za</a>			SANS 1783-4	Visual grade Brandering and Battens		
P.O Box 25	<a href="mailto:ethela@york.co.za">ethela@york.co.za</a>			SANS 1288	Product: Preservative Treated Timber Chemical: WCCA Hazard class: H2, H3 and H4 Process: Full cell		
Warburton							
2333							
York Timbers (Pty)Ltd		16					<u>CANCELLED</u>
Mannys Timber & Hardware (Pty) Ltd	Tel 011 578 5600	18	17/03/2025	SANS 1783-1	General requirements of sawn softwood timber	Mannys	<u>ACTIVE</u>
T/a: Mannys Timber & Hardware	Fax 011 578 5689			SANS 1783-2	Mechanical graded structural timber, Grade 7 excluding finger jointing.		
PO Box 15531	<a href="mailto:barryg@mannys.co.za">barryg@mannys.co.za</a>			SANS 1900	Monoplanar prefabricated roof trusses		
Farrarmere, 1518							
Name: RF Gevers (Pty) Ltd	Tel: (034) 982 6000/1/2	19	17/05/2025	SANS 1783-1	General requirements of sawn softwood timber	R F G	<u>ACTIVE</u>
T/a: RF Gevers	Fax: N/A			SANS 1783-2	Visual grade structural timber, Grade 5 including finger jointing.		

PO Box 32	E-mail: kelvin@rfgsawmill.co.za			SANS 1783-4	Visual grade Brandering and Battens including finger jointing		
Vryheid				SANS 10096	Finger jointed timber		
3100				SANS 1288	Product: Preservative Treated Timber Chemical: WCCA Hazard class: H2 and H3 Process: Full cell		
<b>Separator</b>							
Prestprops 1267 cc	Tel: 082 926 1624	21	21/07/2025	SANS 457-3	Product: Wooden poles, droppers, guardrail posts and spacer blocks Chemical: WCCA Hazard class: H2, H3, H4, and H5 Process: Full cell process	BP	<u>ACTIVE</u>
T/a: Bundu Pale	mwbundu@vodamail.co.za			SANS 1288	Product: Preservative-treated timber Chemical: WCCA Hazard class: H2, H3, H4, and H5 Process: Full cell process		
Postal Address:							
PO Box 98							
Schagen							
1207							
<b>Separator</b>							
Name: Merensky Timber (Pty) Ltd	Tel: 021 945 1444	23	23/09/2026	SANS 1288	Product: Preservative Treated Timber Chemical: WCCA Hazard class: H2 and H3 Process: Full cell	Merensky	<u>ACTIVE</u>
T/a: Northern Timbers	Fax: ----						
Postal Address:	E-mail: pieters@merensky.co.za						
PO Box 1343							
Tzaneen							
850							
<b>Separator</b>							
Stevens Lumber Mills (Pty) Ltd	Tel: 015 276 6200	24		SANS 1783	Structural Timber, Brandering, Battens Treated Timber	SLM	<b>CANCELLED:</b>
<b>Separator</b>							
Name: York Timbers (Pty) Ltd	Tel: 013 764 9134	31	15/03/2026	SANS 929	Rotary cut pine plywood structural and commercial grades A, B, C And D	YORK P	<u>ACTIVE</u>
T/a: Plywood Division	E-mail; jpotgieter@york.co.za						
Postal Address:							
Private Bag X501							

Sabie 1260							
The Building Company T/A: Buco Pinetown		32					<b>CANCELLED: 08/05/2024</b>
Jetteson Timbers cc	Tel 033 330 5442	47	12/09/2027	SANS 1783-1	General requirements of sawn softwood timber	KTC	<u>ACTIVE</u>
PO Box 571	Fax 033 330 2014			SANS 1783-2	Visual grade structural timber, Grade 5 excluding finger jointing.		
Howick	bblraw@mweb.co.za			SANS 1783-4	Visual grade Brandering and Battens excluding finger jointing		
3290				SANS 1288	Product: Preservative Treated Timber Chemical: WCCA Hazard class: H2 and H3 Process: Full cell		
T/a: Sun Corporation	Tel: 011 693 1005	51	03/10/2024	SANS 457-3	Product: Structural poles, Fencing poles, Guardrail Posts and Droppers Chemical: CCA Hazard class: H3 and H4 Process: Full cell process	SUN	<u>ACTIVE</u>
Postal Address:	E-mail: tanya@lantic.net			SANS 1288	Product: Treated timber Chemical: CCA Hazard class: H2, H3 and H4 Process: Full cell process		
PO. Box 604							
Tarlton							
1749							
Dunstone Timber & Game Farm cc	Tel: 082 787 1283	59	25/03/2025	SANS 457-3	Full-Cell Process Eucalyptus Structural & Agricultural Poles, Fencing Poles & Droppers. Hazard Class H2, H3, H4 & H5.	Dunstone	<u>ACTIVE</u>
P O Box 26795	dunstonetimber@gmail.com			SANS 1288	Product: Eucalyptus Structural & Agricultural Poles, Fencing Poles & Droppers. Chemical: WCCA Hazard Class: H2, H3, H4 & H5. Process: Full Cell Process		

Plains							
4243							
Midlands Timbers	Tel:(033) 386 5715	65	14/06/2025	SANS 1783-1	General requirements of sawn softwood timber	MDT	<u>ACTIVE</u>
P O Box 308	david@safind.co.za			SANS 1783-2	Visual grade structural timber, Grade 5 excluding finger jointing.		
Msunduzi				SANS 1783-4	Visual grade Brandering and Battens excluding finger jointing		
Pietermaritzburg				SANS 1288	Product: Preservative Treated Timber Chemical: WCCA Hazard class: H2 and H3 Process: Full cell		
3231							
Name: Yonder Lea Timber (Pty) Ltd	Tel: 043 683 1024	89	20/04/2027	SANS 457-3	Product: Structural poles, Fencing poles, Guardrail Posts and Droppers. Chemical: CCA Hazard class: H3, H4 and H5 Process: Full cell process.	YON	<u>ACTIVE</u>
T/a: Yonder Lea Timber (Pty) Ltd	Fax: 086 574 5238			SANS 1288	Product: Treated timber Chemical: CCA Hazard class: H2, H3, H4 and H5 Process: Full cell process.		
Postal Address:	<a href="mailto:yonderlea@gmail.com">yonderlea@gmail.com</a>						
PO Box 206							
Stutterheim							
4930							
YORK Timbers PTY Ltd		93				YORK-R	<u>CANCELLED: 04-02-2022</u>
NHR Investment (Pty) Ltd T/a: Swazi Poles		101				SWAZI	<u>CANCELLED: 09-11-2021</u>
Name: Lawa Estates	Tel: 017 845 1203	108	13/09/2025	SANS 1783-1	General requirements of sawn softwood timber	LA-WA	<u>ACTIVE</u>
T/a: Lawa Estates	Fax: 086 579 4150			SANS 1783-2	Visual grade structural timber, Grade 5 including finger jointing.		

Postal Address:	E-mail: duplessissimon@gmail.com			SANS 1783-4	Visual grade Branderling and Battens including finger jointing		
P.O Box 39				SANS 10096	Finger jointed timber		
Lothair							
2370							
LCP Roofing	Tel: 0861 LCP ROOF	114	14/08/2026	SANS 1900	Roof Trusses	LCP ROOFING	<u>ACTIVE</u>
Postnet Suite 243 Private Bag X37	Fax: 012 811 0056						
Lynnwood ridge, 0040	lyndsay@lcproofing.co.za						
Name: J.W Sonnekus	Tel: 072 295 6000	116	17/11//2026	SANS 457-3	Wooden poles, Guardrail Posts and Droppers.	SON	<u>ACTIVE</u>
T/a: Majuba Poles	Fax: N/A			SANS 1288	Product: Treated timber Chemical: CCA Hazard class: H3 and H4 Process: Full cell process.		
Postal Address:	<a href="mailto:admin@majubaguestlodge.co.za">admin@majubaguestlodge.co.za</a>						
P O Box 762							
Volkstrust							
Name: Furniture & Building Products (Pty) Ltd	Tel: 072 122 8075	117	19/02/2027	SANS 1783-1	General requirements of sawn softwood timber	EGT	<u>ACTIVE</u>
T/a: Evergreen Timbers	Fax: N/A			SANS 1783-2	Visual grade structural timber, Grade 5		
Postal Address:	E-mail: andrew@egh.co.za			SANS 1783-4	Visual grade Branderling and Battens		
P O Box 3335							
Pietermaritzburg							
3200							
Brits Poles SA T/a: Brits Poles SA Postnet Suite #28 Private Bag X5091 Brits		121					<u>CANCELLED: 10-01-2022</u>
250							
WOODVALE TIMBERS (Pty) Ltd	Tel: 014 736 4991	122	01/03/2027	SANS 457-3	Product: Preservative Treated Eucalyptus poles, Structural and Fencing Poles Chemical: WCCA Hazard Class: H3 and H4 Process: Full Cell Process	VALE	<u>ACTIVE</u>

P O Box 1260	Fax: 086 579 7517			SANS 1288	Product: Preservative Treated Timber Chemical: WCCA Hazard Class: H2, H3 and H4 Process: Full Cell Process		
BelaBela, 0480	office@woodvale.co.za						
Name: RSB (PTY) LTD	Tel: 011 761 6900	132	15/07/2025	SANS 1460	Laminated Timber Finger-jointed structural timber	RSB	<u>ACTIVE</u>
T/a: RSB	Fax: 011 762 6900			SANS 545	Wooden Doors		
Postal Address:	craig@rsbgroup.co.za						
P O Box 1014							
Randfontein							
1760							
Tekwani-Empuluzi Sawmill		134				ET	<u>CANCELLED</u> <u>2021-04-06</u>
T/a: Biligom International (Pty) Ltd		147				BILIGOM	<u>CANCELLED</u>
T/a: Biligom International (Pty) Ltd		148					<u>CANCELLED</u>
Africa Timber Marketing	Tel: 012 802 2012	150	20/08/2026	SANS 545	Wooden Doors	ATM	<u>ACTIVE</u>
PO Box 1102	Fax: 086 509 7603						
Rayton	atm@lantic.net						
1001							
Quickco Trading 045 cc T/a: Timboard Unlimited		151				TBRD	<u>CANCELLED</u> <u>04-05-2022</u>
Nox Timbers	Tel: 072 437 1899	153	19/10/2024	SANS 457-3	Product: Preservative Treated Eucalyptus poles, Structural and Fencing Poles Chemical: WCCA Hazard Class: H2, H3, H4 & H5 Process: Full Cell Process	NOX	<u>ACTIVE</u>



P.O.Box 15828, Nelspruit	theo@noxtimbers.co.za			SANS 1288	Product: Preservative Treated Timber Chemical: WCCA Hazard Class: H2, H3 and H4 Process: Full Cell Process		
1211							
Merensky OD		158				MERENSKY OD	<b>CANCELLED</b> <b>21/08/2024</b>
Eswatini Treated Timber	Tel: 00268 2472 8070	159	02/06/2027	SANS 1288	Product: Preservative Treated Timber Chemical: WCCA Hazard Class: H2, H3 and H4 Process: Full Cell Process	ETT	<b>ACTIVE</b>
PO Box 6852	Fax: (+268) 2472 8083			SANS 1783-1	General requirements of sawn softwood timber		
Mbabane	Troy.dodson@sawziplant.com			SANS 1783-2	Visual grade structural timber, Grade 5 including finger jointing.		
Eswatini				SANS 1783-4	Visual grade Brandering and Battens including finger jointing		
H100				SANS 10096	Finger jointed timber		
T/a: Diggersrest Timber Company (PTY) Ltd	Tel: 078 802 6212	162	17/09/2027	SANS 457-3	Product: Fencing Poles and droppers Chemical: WCCA And creosote Hazard Class: H3, H4 & H5 Process: Full Cell Process & Creosote - open tank	DIG	<b>ACTIVE</b>
Postal Address:	Fax: 086 276 4009			SANS 1288	Product: Preservative Treated Timber Process: Full Cell Process & Creosote - open tank Chemical: WCCA And creosote Hazard Class: H2, H3, H4 and H5 Process: Full Cell Process		
PO Box 74	mark@diggersrest.co.za						
Tzaneen							
0850							
Name: Autumn Leaf Trading cc	Tel: 082 805 7001	164	14//40/2024	SANS 1783-1	General requirements of sawn softwood timber	TJ	<b>ACTIVE</b>

T/a: Timber Junction	Fax: N/A			SANS 1783-2	Visual grade structural timber, Grade 5 including finger jointing.		
Postal Address: P O Box 601	E-mail: brucerachel1@gmail.com			SANS 10096	Finger jointed timber		
Hilton							
3245							
Name: Highlands Sawmill (Pty) Ltd	Tel: 082 447 6692	165	14/10/2024	SANS 1288	Full-Cell Process WCCA Preservative Treated Timber Hazard Class H2 & H3	HS	<u>ACTIVE</u>
T/a: Highlands Sawmill	highlandssawmill1@gmail.com						
Postal Address: P O BOX 75,							
Harding							
4680							
DREVOTERM		201					<u>CANCELLED</u>
Name: Foresta Timber & Board (Pty) Ltd	Tel: 011 864 7966	207	14/12/2026	SANS 1783-1	General requirements of sawn softwood timber	FTG	<u>ACTIVE</u>
T/a: Foresta Timber & Board (Pty) Ltd	Fax: 086 678 3325			SANS 1783-2	Visual grade structural timber, Grade 5 including finger jointing.		
Postal Address:	E-mail: michael@foresta.co.za			SANS 1783-4	Visual grade Brandering and Battens including finger jointing		
PO Box 11104				SANS 10096	Finger jointed timber		
Randhart							
1457							
Sunshine Manufacturing	Tel: 041 486 1132	230	08/07/2026	SANS 545	Wooden Doors	Sunshine Mnfng	<u>ACTIVE</u>
4 Phillip Robinson Ave	Fax: -----						
Deal Party	dkibble@lantic.net						
Port Elizabeth	production@sunshinemnfg.co.za						
6012							
Lokuhle Trading and Projects		224					<u>CANCELLED: 09-03-2022</u>
T/a: Lokuhle Trading and Projects							
Name: Lion Match Products (Pty) Ltd	Tel: 012 492 4026	232	26/07/2026	SANS 1148	Wooden Safety Matches	Lion, Blue Lion, Zebra,	<u>ACTIVE</u>

T/a: Lion Match Products (Pty) Ltd	Fax: 012 542 3265					Zebra Plain, Pala Pala	
Postal Address:	rebeccam@lionmatch.co.za						
PO Box 911-057							
Rossllyn							
200							
Titan Structural Components		254				TSC	<u>CANCELLED</u> <u>2021/04/06</u>
Patula Sawmills (Pty) Ltd		258				PP	<u>CANCELLED:</u> <u>10/05/2025</u>
Numill marketing (Pty) Ltd		259				NM	<u>CANCELLED</u>
Postnet Suit 248							
Private Bag X15, Somerset West 7129							<u>20-04-2020</u>
Solid Doors (PTY) LTD		260				Solid Doors Ga-Rankua	<u>CANCELLED</u> <u>2021/02/01</u>
Limpopo Lumber Products cc		261				LLP	<u>CANCELLED</u> <u>2021/02/01</u>
Name: Umzimkhulu Treated Timbers(Pty) Ltd	Tel: 082 084 4410	265	05/08/2024	SANS 457-3	Product: Eucalyptus Structural Poles, Fencing Poles, Guardrail Posts, Droppers and Spacer blocks Chemical: WCCA and Creosote Hazard class: H2, H3 and H4 Process: Full Cell	UTT	<u>ACTIVE</u>
T/a: Umzimkhulu Treated Timbers(Pty) Ltd	Fax: 086 514 8986			SANS 1288	Product: Preservative treated timber Chemical: WCCA and Creosote Hazard class: H2, H3 and H4 Process: Full Cell		

Postal Address:	E-mail: ncebamlonzi4@gmail.com			SANS 754	Product: Preservative treated Eucalyptus poles, cross-arms and spacers for power distribution and communications systems Chemical: WCCA and Creosote Hazard class: H3 and H4 Process: Full Cell		
P O Box 530							
Umzimkhulu, 3297							
Knysna Leisure Industries cc		266					<b>CANCELLED: 02-02-2024</b>
MLL Interiors cc		275				ECO-MD ECO-HD	<b>CANCELLED 2021/02/01</b>
Name: The Umtombeni Trust	Tel: 082 337 5159	276	11/04/2025	SANS 1288	Product: Preservative treated timber Chemical: WCCA Hazard class: H2, H3 and H4 Process: Full Cell	UMT	<b>ACTIVE</b>
T/a: The Umtombeni Trust	Fax: N/A						
Postal Address:	E-mail: glenn@thembaforestry.co.za						
PO Box 164							
Harding							
4680							
Company Name: Grand Timber (Pty) Ltd	Tel: 015 516 4252	287	25/08/2025	SANS 457-3	Treated timber	GRAND	<b>ACTIVE</b>
T/A: Grand Timber	luondepoles@crcnet.co.za			SANS 1288	Treated timber		
PO Box 373							
Louis Trichardt							
Sterkstroom Farm NA 17							
920							
Montigny Investment T/a: Swazi Poles		288					<b>CANCELLED</b>
Name: Swartland Investments (Pty) Ltd	Tel: 021 573 7500	282	23/06/2025	SANS 545	Wooden Doors	MRB	<b>ACTIVE</b>

T/a: Swartland Investments (Pty) Ltd	Fax: 021 577 2760						
Postal Address:	derrick.nel@swartland.co.za						
PO Box 216	Ernest.adams@swartland.co.za						
Moorreesburg							
7310							
Name: Swartland Investments (Pty) Ltd	Tel: 022 433 8000	283	23/06/2025	SANS 545	Wooden Doors	SBD	<u>ACTIVE</u>
T/a: Swartland Investments (Pty) Ltd	Fax: 022 557 2760						
Postal Address:	derrick.nel@swartland.co.za						
PO Box 216	Johan.opperman@swartland.co.za						
Moorreesburg							
7310							
Herrmann & Vogel Spol. s r.o.	Tel: +420607822558	290	16/09/2025	SANS 1460	Structural grade 5, laminated timber finger jointing included Species: SPRUCE Exposure class: Interior	Novaspruce KVH	<u>ACTIVE</u>
Dedinska 29	Klara@holz.cz					Novaspruce DUO	
161 00 Prague 6						and TRIO	
Czech Republic							
Europe							
Setecept (Pty) LTD	Tel: 064 510 6152	292	08/03/2026	SANS 545	Wooden Doors	SETECEPT	<u>ACTIVE</u>
P.O. Box 15313	Fax: 031 717 6868						
Westmead	niell@setecept.co.za						
3608							
Eland Pale		295					<b>CANCELLED: 10-11-2023</b>
Fynbos Loggings cc	Tel: 083 605 9979	297	11/11/2026	SANS 457-3	Product: Structural poles, guardrail posts and droppers Chemical: CCA Hazard class: H3 and H4 Process: Full cell process.	FB	<u>ACTIVE</u>

Fynbos Poles	Fax: 028 384 1587			SANS 1288	Product: Preservative Treated timber Chemical: CCA Hazard class: H2, H3 and H4 Process Full cell process		
PO Box 310	headoffice@fynbospoles.co.za						
Gansbaai	sales@fynbospoles.co.za						
7220							
Capio Lumber (Pty) Ltd		299					<u>CANCELLED</u>
Name: La Provance Lys Werke (Pty) Ltd	Tel: 013 767 1433	300	13/012/2026	SANS 1288	Product: Preservative-treated timber ,Chemical: WCCA, Hazard class: H2, H3, H4 and H5 Process: Full cell	LPP	<u>ACTIVE</u>
T/a: La Provance	E-mail; sales@laprovance.co.za			SANS 1783-1	General requirements		
Postal Address:				SANS 1783-3	Industrial timber		
P.O Box 246							
Graskop				SANS 457-3	Product: Treated poles, structural poles, fencing poles and droppers. Chemical: WCCA, Hazard class: H2, H3, H4 and H5, Process: Full cell		
1270							
Name: Panel & Pane Joinery cc	Tel: 083 251 9264	302	30/11/2026	SANS 545	Wooden Doors	Panel & Pane Joinery	
T/a: Panel & Pane Joinery	Fax: N/A						<u>ACTIVE</u>
Postal Address: P.O Box 347	E-mail: terry@panelandpane.co.za						
Gillitts							
3603							
Tiger Timbers KYA (Pty) LTD T/a: Tiger Timbers		304					<u>CANCELLED</u>
PO box 30955 Kyalami							<u>15-03-2023</u>
Solid Doors (PTY) LTD	Tel: 011 234 1901	307	11/08/2027	SANS 545	Wooden Doors	Solid Doors	<u>ACTIVE</u>
6 Mathinus Street	Fax: 011 234 1925						
Brits	E-mail: celeste@soliddoors.co.za						
North West							

250							
<b>XLAM South Africa (Pty) Ltd</b>	<b>Tel:084 661 1095</b>	<b>309</b>	<b>24/07/2027</b>	<b>SANS 8892</b>	<b>Cross-laminated timber, softwood. Grades 5,7,8,10 &amp; 14</b>	<b>XLAM</b>	<b><u>ACTIVE</u></b>
Corner White and Tokai Road Retreat Cape Town 7945	jamie@xlam.co.za						
<b>Name: G-Worx Fourteen (Pty) Ltd</b>	<b>Tel: 047 531 6051 / 2</b>	<b>315</b>	<b>10/02/2025</b>	<b>SANS 457-3</b>	<b>Product: Structural poles, guardrail posts and droppers Chemical: CCA Hazard class: H3 and H4 Process: Full cell process</b>	<b>GWX</b>	<b><u>ACTIVE</u></b>
<b>T/a: G-Worx Fourteen (Pty) Ltd</b>	<b>Fax: 086 606 1923</b>			<b>SANS1288</b>	<b>Product: Treated timber Chemical: CCA Hazard class: H2, H3 and H4 Process Full cell process</b>		
<b>Postal Address:</b>	<b>E-mail: tandie@gworxfourteen.co.za</b>						
<b>Private Bag 6022</b>	<b>Nomveliso:</b>						
<b>Mthatha</b>	<b>debtors@gworxfourteen.co.za</b>						
<b>5099</b>							
<b>Name: Agentimber (Pty) Ltd</b>	<b>Tel: 011 724 4200</b>	<b>317</b>	<b>01/03/2025</b>	<b>SANS 1783-1</b>	<b>General requirements of sawn softwood timber</b>	<b>YORK-R</b>	<b><u>ACTIVE</u></b>
<b>T/a: Agentimber (Pty) Ltd</b>	<b>Fax: 011 865 2204</b>			<b>SANS 1783-2</b>	<b>Visual grade structural timber, Grade 5 including finger jointing.</b>		
<b>Postal Address: P O Box 14245</b>	<b>kootvanderwalt@york.co.za</b>			<b>SANS 1783-4</b>	<b>Visual grade Brandering and Battens including finger jointing</b>		
<b>Wadeville</b>				<b>SANS 10096</b>	<b>Finger jointed timber</b>		
<b>1422</b>							
<b>Setecept</b>	<b>Tel: 064 510 6152</b>	<b>318</b>	<b>16/03/2025</b>	<b>SANS 545</b>	<b>Wooden Doors</b>		<b><u>ACTIVE</u></b>
<b>P O Box 15313</b>	<b>Fax: 031 717 6868</b>						
<b>Westmead</b>	<b>niell@setecept.co.za</b>						
<b>3608</b>							

Name: JP Bothma	Tel: 083 254 4340	321	04/09/2025	SANS 1288	Product: Preservative-treated timber Chemical: WCCA Hazard class: H2, H3 and H4 Process: Full cell	CP	<u>ACTIVE</u>
T/a: Clifton Pine	E-mail: cliftonpine7@gmail.com			SANS 1783-1	General requirements of sawn softwood timber		
Postal Address:				SANS 1783-2	Visual grade structural timber, Grade 5 including finger jointing.		
Postnet Suite 1205							
Private Bag x9013							
Ermelo							
2350							
<b> </b>							
Name: Pierre Dreyer Roofing cc	Tel: 082 656 0433 (Pierre Dreyer)	323	23/06/2025	SANS 1288	Product: Preservative treated timber Chemical: WCCA Hazard Class: H2, H3 and H4 Process: WCCA: full cell process	HTS	<u>ACTIVE</u>
T/a: Houteniqua Treatment Services	Tel: 082 869 3235 (Arnold Rossouw)				Product: Preservative treated timber Chemical: Vacsol Azure Type O Hazard Class: H2 Process: Vacuum impregnation double vacuum		
Postal Address:	E-mail: accounts@plettroofing.co.za						
PO Box 540	arnold@houteniqua.co.za						
Plettenberg Bay							
6600							
<b> </b>							
Trade Avail 361 cc	Tel: 021 577 1818	333	23/10/2025	SANS 545	Meranti & Kiaat hardwood batten door, framed, ledged and braced	BW 1 FL & B	<u>ACTIVE</u>
T/a: Best Wood Joinery	E-mail: charles@bestgroup.co.za						
12 Josias Blanckenberg Street							
Atlantis Industrial							
Cape Town							
7349							



Name: Sotsho Treated Timbers (Pty) Ltd	Tel: 064 801 2220	334	15/09/2025	SANS 457 - 3:	Full-Cell Process Eucalyptus Structural & Agricultural Poles, Fencing Poles & Droppers. Hazard Class H2, H3, H4 & H5.	STP	<u>ACTIVE</u>
T/a: Sotsho Treated Timbers	Fax: N/A			SANS 1288:	Chemical: WCCA Hazard Class: H2, H3, H4 & H5. Process: Full Cell Process		
PO Box 560	E-mail: sotshongaye.sivuyise94@gmail.com						
Flagstaff, 4810							
<b>Separator</b>							
Name: Real Wooden Doors (Pty) Ltd	Tel: 011 882 6506	335	23/10/2025	SANS 545	Wooden Doors	Lotus Wood Products	<u>ACTIVE</u>
T/a: Real Wooden Doors (Pty) Ltd	colin@rwdoors.co.za					Real Wooden Doors	
Postal Address: P O Box 10342							
Johannesburg							
2000							
<b>Separator</b>							
Name: RaiPLY Malawi Ltd	Tel: 00265999071689	336	15/09/2025	SANS 754	Product: Eucalyptus Transmission poles Chemical: CREOSOTE Hazard class: H4 Process: Creo - Full Cell		<u>ACTIVE</u>
T/a: RaiPLY Malawi Ltd	E-mail: biju@raiPLYblantyre.com			SANS 457-3	Product: Building, Fencing Poles and Droppers Chemical: CREOSOTE Hazard class:H3 and H4 Process: Creo - Full Cell		
Post Bag No1				SANS 1288	Product: Preservative Treated Timber Chemical: CREOSOTE Hazard class: H3 and H4 Process: Creo - Full Cell		
Chikangawa				SANS 1460	Glulam products not for structural purpose. Boards and shelving.		
Mzimba							
Malawi							
<b>Separator</b>							
Mass Timber Technologies (PTY) Ltd	Tel: 082 826 3434	339	28/11/2025	SANS 8892	Cross Laminated Timber	MTT	<u>ACTIVE</u>

T/a: Mass Timber Technologies	E-mail: tyron@masstimbertech.co.za						
Postal Address:							
16 Macarthur Avenue							
Robindale							
Johannesburg							
2194							
<b>Hardwood Doors (Pty) Ltd</b>	<b>Tel: 0125466520</b>	<b>343</b>	<b>12/02/2026</b>	<b>SANS 545</b>	<b>Wooden Doors</b>	<b>HD and HH</b>	<b><u>ACTIVE</u></b>
Postal Address:	E-mail: info@hardwooddoors.co.za						
Po Box 18411							
Pretoria North							
116							
<b>Pages Timber</b>	<b>Tel: 0827878162</b>	<b>345</b>	<b>01/03/2026</b>	<b>SANS 545</b>	<b>Wooden Doors</b>	<b>PT</b>	<b><u>ACTIVE</u></b>
Po Box 10540	E-mail: allan@pagestimber.co.za						
Strubenvale							
Springs 1570							
<b>Holzbau Cpt (Pty) Ltd</b>	<b>Tel (Cell only): 083 619 0473</b>	<b>350</b>	<b>10/05/2026</b>	<b>SANS 1460</b>	<b>Laminated beams</b>	<b>HOLZBAUCPT</b>	<b><u>ACTIVE</u></b>
13 Elektron Road	Fax: -----			<b>SANS 10096</b>	<b>Finger-jointed timber</b>		
Bellville	E-mail: mj@holzbaucpt.com						
Cape Town							
7530							
<b>Name: Heintash Tree Fellows (Pty) Ltd</b>	<b>Tel: 0833378091</b>	<b>373</b>	<b>12/05/2027</b>	<b>SANS 457-3</b>	<b>wooden Poles, Droppers and guard rail posts</b>	<b>HTTF</b>	<b><u>ACTIVE</u></b>
T/a: Heintash Tree Fellows (Pty) Ltd	E-mail: http2024@gmail.com			<b>SANS 1288</b>	<b>Preservative treated timber</b>		
Postal Address: Po box 913	Wallywalb9@gmail.com						
Louis Trichardt							
0920							