

SATAS CERTIFIED SUPPLIERS

March 2026

CERTIFIED SUPPLIERS ISO/IEC 17065



Note: This list is updated regularly to reflect the latest information on valid certifications. Information on suspensions, cancelations and re-instatements is available on request.

COMPANY NAME ADDRESS	TEL/FAX NO	CERT	STANDARD	PRODUCT	TRADE MARK	STATUS
White River Timber Saw Mills (Pty) LTD	Tel: 013 751 1111	2	SANS 1783-1	General requirements of sawn softwood timber	WRSM	<u>ACTIVE</u>
t/a White River Sawmill PO Box 97	E-mail: cjacobsz@wrsm.co.za		SANS 1783-2	Visual grade structural timber, Grade 5 and Grade 7 including finger jointing. Proof graded 50mm x 76mm grade5 structural timber including finger jointing		
White river, 1240.	edwin@wrsm.co.zs		SANS 1783-4	Visula grade brandering and battens including finger jointing		
			SANS 10096	Finger jointed timber		
Name: White River Saw Mills (Pty) Ltd	Tel 072 921 3901	3	SANS 1783-1	General requirements of sawn softwood timber	WRSM-D	<u>ACTIVE</u>
T/a: Densa Sawmills	Fax 013 752 4572		SANS 1783-2	Visual grade structural timber, Grade 5 and grade 7 including finger jointing. Proof graded 50mm x 76mm and 36mm x 76mm grade 5 and grade 7 structural timber including finger jointing.		
Postal Address:	dmmand@wrsm.co.za		SANS 1783-4	Visual grade Brandering and Battens including finger jointing		
PO Box 97	dmdensa@wrsm.co.za		SANS 10096	Finger jointed timber		
White River			SANS 1460	Laminated beams		
1240			SANS 1288	Product: Preservative Treated Timber Chemical: WCCA Hazard class: H2, H3 Process: Full Cell		
Name: Verulam Sawmills (Pty)Ltd	Tel: 013 712 3185	5	SANS 1783-1	General requirements of sawn softwood timber	VRM	<u>ACTIVE</u>
T/a: Verulam Sawmills	E-mail: edwardf@versaw.co.za		SANS 1783-2	Visual grade structural timber, Grade 5 and grade 7 including finger jointing.		
Postal Address:			SANS 1783-4	Visual grade Brandering and Battens including finger jointing		

PO Box 922			SANS 10096	Finger jointed timber		
Barberton						
1300						
<b>UCL Company</b>	<b>Tel: (033) 940 0040</b>	<b>8</b>	<b>SANS 1783-1</b>	<b>General requirements of sawn softwood timber</b>	<b>(HFCK) UCL</b>	<b><u>ACTIVE</u></b>
P O Box 1	k.bailey@ucl.co.za		SANS 1783-2	Visual grade structural timber, Grade 5 and grade 7 including finger jointing.		
Dalton			SANS 1783-4	Visual grade Branderling and Battens including finger jointing		
3236			SANS 10096	Finger jointed timber		
			SANS 1288	Product: Treated Sawn Timber Chemical: WCCA Hazard Class: H2 & H3 Process: Full Cell Process		
<b>Weza Sawmill</b>	<b>Tel: 073 352 6757</b>	<b>11</b>	<b>SANS 1783-1</b>	<b>General requirements of sawn softwood timber</b>	<b>W – MERENSKY</b>	<b><u>ACTIVE</u></b>
PO Box 20	E-mail: thembelilek@merensky.co.za		SANS 1783-2	Visual grade structural timber, Grade 5 include finger jointing.		
Weza			SANS 1783-4	Visual grade Branderling and Battens include finger jointing		
4685			SANS 1288	Product: Preservative treated Timber Chemical: WCCA and Creosote Hazard class: H2, H3 and H4 Process: Full Cell Process		
<b>Name: Singisi Forest Products (Pty) Ltd</b>	<b>Tel: 047 541 0011</b>	<b>12</b>	<b>SANS 1783-1</b>	<b>General requirements of sawn softwood timber</b>	<b>(For SANS 1783-1/2): Merensky L</b>	<b><u>ACTIVE</u></b>
T/a: Langeni Sawmills	Fax: 047 541 0003		SANS 1783-2	Visual grade structural timber, Grade 5 including finger jointing.	(For SANS 1783-4): Langeni	
Postal Address:	<a href="mailto:phillipt@merensky.co.za">phillipt@merensky.co.za</a>		SANS 1783-4	Visual grade Branderling and Battens including finger jointing	(For SANS1288 & 457-3): LFP	
PO Box 642	<a href="mailto:funizwen@merensky.co.za">funizwen@merensky.co.za</a>		SANS 10096	Finger jointed timber		
Mthatha			SANS 457-3	Treated structural poles, droppers, and guardrail posts.		
5099						

Name: York Timbers (Pty) Ltd	Tel: 013 764 9000	14	SANS 1783-1	General Requirements	YORK-S	<u>ACTIVE</u>
T/a: Sabie Saw Mill	E-mail: jpotgieter@york.co.za		SANS 1783-2	Visual Grade and Proof Grade Structural Timber Grade 5 and Grade 7		
Postal Address:			SANS 1783-4	Visual grade Branderling & Battens		
Private Bag X501			SANS 10096	Finger Jointed Timber		
Sabie			SANS 1288	Product: Preservative Treated Timber Chemical: WCCA Hazard Class: H2, H3 Process: Full Cell		
1260						
Name: York Timbers (Pty) Ltd	Tel: 017 845 1337	15	SANS 1783-1	General requirements of sawn softwood timber	YORK-J	<u>ACTIVE</u>
T/a: Jessievale Saw Mill	E-mail: ethela@york.co.za		SANS 1783-2	Visual Grade Structural Timber Grade 5 and Grade 7		
Postal Address:			SANS 1783-4	Visual grade Branderling and Battens		
P.O Box 25			SANS 1288	Product: Preservative Treated Timber Chemical: WCCA Hazard class: H2, H3 and H4 Process: Full cell		
Warburton						
2333						
York Timbers (Pty)Ltd		16				<u>CANCELLED</u>
Mannys Timber & Hardware (Pty) Ltd	Tel 011 578 5600	18	SANS 1783-1	General requirements of sawn softwood timber	Mannys	<u>ACTIVE</u>
T/a: Mannys Timber & Hardware	Fax 011 578 5689		SANS 1783-2	Mechanical graded structural timber, Grade 7 excluding finger jointing.		
PO Box 15531	barryg@mannys.co.za		SANS 1900	Monoplanar prefabricated roof trusses		
Farrarmere, 1518						
Name: RF Gevers (Pty) Ltd	Tel: (034) 982 6000/1/2	19	SANS 1783-1	General requirements of sawn softwood timber	R F G	<u>ACTIVE</u>
T/a: RF Gevers	Fax: N/A		SANS 1783-2	Visual grade structural timber, Grade 5 including finger jointing.		
PO Box 32	E-mail: kelvin@rfgsawmill.co.za		SANS 1783-4	Visual grade Branderling and Battens including finger jointing		
Vryheid			SANS 10096	Finger jointed timber		

3100			SANS 1288	Product: Preservative Treated Timber Chemical: WCCA Hazard class: H2, H3 & H4 Process: Full cell		
Prestprops 1267 cc	Tel: 082 926 1624	21	SANS 457-3	Product: Wooden poles, droppers, guardrail posts and spacer blocks Chemical: WCCA Hazard class: H2, H3, H4, and H5 Process: Full cell process	BP	<u>ACTIVE</u>
T/a: Bundu Pale	mwbundu@vodamail.co.za		SANS 1288	Product: Preservative-treated timber Chemical: WCCA Hazard class: H2, H3, H4, and H5 Process: Full cell process		
Postal Address:						
PO Box 98						
Schagen						
1207						
Name: Merensky Timber (Pty) Ltd	Tel: 021 945 1444	23	SANS 1288	Product: Preservative Treated Timber Chemical: WCCA Hazard class: H2 and H3 Process: Full cell	Merensky	<u>ACTIVE</u>
T/a: Northern Timbers	Fax: ----					
Postal Address:	E-mail: pieters@merensky.co.za					
PO Box 1343						
Tzaneen						
850						
Stevens Lumber Mills (Pty) Ltd	Tel: 015 276 6200	24	SANS 1783	Structural Timber, Brandering, Battens Treated Timber	SLM	<u>CANCELLED:</u>
Name: York Timbers (Pty) Ltd	Tel: 013 764 9134	31	SANS 929	Rotary cut pine plywood structural and commercial grades A, B, C And D	YORK P	<u>ACTIVE</u>
T/a: Plywood Division	E-mail; jpotgieter@york.co.za					
Postal Address:						
Private Bag X501						
Sabie						
1260						

The Building Company		32				<b>CANCELLED:</b> <b>08/05/2024</b>
T/A: Buco Pinetown						
Jetteson Timbers cc	Tel 033 330 5442	47	SANS 1783-1	General requirements of sawn softwood timber	KTC	<b>ACTIVE</b>
PO Box 571	Fax 033 330 2014		SANS 1783-2	Visual grade structural timber, Grade 5 excluding finger jointing.		
Howick	bblraw@mweb.co.za		SANS 1783-4	Visual grade Brandering and Battens excluding finger jointing		
3290			SANS 1288	Product: Preservative Treated Timber Chemical: WCCA Hazard class: H2 and H3 Process: Full cell		
T/a: Sun Corporation	Tel: 011 693 1005	51	SANS 457-3	Product: Structural poles, Fencing poles, Guardrail Posts and Droppers Chemical: CCA Hazard class: H3 and H4 Process: Full cell process	SUN	<b>ACTIVE</b>
Postal Address:	E-mail: tanya@lantic.net		SANS 1288	Product: Treated timber Chemical: CCA Hazard class: H2, H3 and H4 Process: Full cell process		
PO. Box 604						
Tarlton						
1749						
Dunstone Timber & Game Farm cc	Tel: 082 787 1283	59	SANS 457-3	Full-Cell Process Eucalyptus Structural & Agricultural Poles, Fencing Poles & Droppers. Hazard Class H2, H3, H4 & H5.	Dunstone	<b>ACTIVE</b>
P O Box 26795	dunstonetimber@gmail.com		SANS 1288	Product: Eucalyptus Structural & Agricultural Poles, Fencing Poles & Droppers. Chemical: WCCA Hazard Class: H2, H3, H4 & H5. Process: Full Cell Process		
Plains						
4243						
Midlands Timbers	Tel:(033) 386 5715	65	SANS 1783-1	General requirements of sawn softwood timber	MDT	<b>ACTIVE</b>

P O Box 308	david@safind.co.za		SANS 1783-2	Visual grade structural timber, Grade 5 excluding finger jointing.		
Msunduzi			SANS 1783-4	Visual grade Branderling and Battens excluding finger jointing		
Pietermaritzburg			SANS 1288	Product: Preservative Treated Timber Chemical: WCCA Hazard class: H2 and H3 Process: Full cell		
3231						
Name: Yonder Lea Timber (Pty) Ltd	Tel: 043 683 1024	89	SANS 457-3	Product: Structural poles, Fencing poles, Guardrail Posts and Droppers. Chemical: CCA Hazard class: H3, H4 and H5 Process: Full cell process.	YON	<u>ACTIVE</u>
T/a: Yonder Lea Timber (Pty) Ltd	Fax: 086 574 5238		SANS 1288	Product: Treated timber Chemical: CCA Hazard class: H2, H3, H4 and H5 Process: Full cell process.		
Postal Address:	<a href="mailto:yonderlea@gmail.com">yonderlea@gmail.com</a>					
PO Box 206						
Stutterheim						
4930						
YORK Timbers PTY Ltd		93			YORK-R	<b>CANCELLED:</b> <b>04-02-2022</b>
NHR Investment (Pty) Ltd T/a: Swazi Poles		101			SWAZI	<b>CANCELLED:</b> <b>09-11-2021</b>
Name: Lawa Estates	Tel: 017 845 1203	108	SANS 1783-1	General requirements of sawn softwood timber	LA-WA	<u>ACTIVE</u>
T/a: Lawa Estates	Fax: 086 579 4150		SANS 1783-2	Visual grade structural timber, Grade 5 including finger jointing.		
Postal Address:	E-mail: <a href="mailto:duplessissimon@gmail.com">duplessissimon@gmail.com</a>		SANS 1783-4	Visual grade Branderling and Battens including finger jointing		
P.O Box 39			SANS 10096	Finger jointed timber		
Lothair						
2370						

LCP Roofing	Tel: 0861 LCP ROOF	114	SANS 1900	Roof Trusses	LCP ROOFING	<u>ACTIVE</u>
Postnet Suite 243 Private Bag X37	Fax: 012 811 0056					
Lynnwood ridge, 0040	lyndsay@lcproofing.co.za					
Name: J.W Sonnekus	Tel: 072 295 6000	116	SANS 457-3	Wooden poles, Guardrail Posts and Droppers.	SON	<u>ACTIVE</u>
T/a: Majuba Poles	Fax: N/A		SANS 1288	Product: Treated timber Chemical: CCA Hazard class: H3 and H4 Process: Full cell process.		
Postal Address:	<a href="mailto:admin@majubaguestlodge.co.za">admin@majubaguestlodge.co.za</a>					
P O Box 762						
Volkstrust						
Name: Furniture & Building Products (Pty) Ltd	Tel: 072 122 8075	117	SANS 1783-1	General requirements of sawn softwood timber	EGT	<u>ACTIVE</u>
T/a: Evergreen Timbers	Fax: N/A		SANS 1783-2	Visual grade structural timber, Grade 5		
Postal Address:	E-mail: <a href="mailto:andrew@egh.co.za">andrew@egh.co.za</a>		SANS 1783-4	Visual grade Brandering and Battens		
P O Box 3335						
Pietermaritzburg						
3200						
Brits Poles SA T/a: Brits Poles SA Postnet Suite #28 Private Bag X5091 Brits		121				<b>CANCELLED:</b> <b><u>10-01-2022</u></b>
250						
WOODVALE TIMBERS (Pty) Ltd	Tel: 014 736 4991	122	SANS 457-3	Product: Preservative Treated Eucalyptus poles, Structural and Fencing Poles Chemical: WCCA Hazard Class: H3 and H4 Process: Full Cell Process	VALE	<u>ACTIVE</u>
P O Box 1260	Fax: 086 579 7517		SANS 1288	Product: Preservative Treated Timber Chemical: WCCA Hazard Class: H2, H3 and H4 Process: Full Cell Process		
BelaBela, 0480	<a href="mailto:office@woodvale.co.za">office@woodvale.co.za</a>					

Name: RSB (PTY) LTD	Tel: 011 761 6900	132	SANS 1460	Laminated Timber Finger-jointed structural timber	RSB	<u>ACTIVE</u>
T/a: RSB	Fax: 011 762 6900		SANS 545	Wooden Doors		
Postal Address:	craig@rsbgroup.co.za					
P O Box 1014						
Randfontein						
1760						
Tekwani-Empuluzi Sawmill		134			ET	<u>CANCELLED</u> <u>2021-04-06</u>
T/a: Biligom International (Pty) Ltd		147			BILIGOM	<u>CANCELLED</u>
T/a: Biligom International (Pty) Ltd		148				<u>CANCELLED</u>
Africa Timber Marketing	Tel: 012 802 2012	150	SANS 545	Wooden Doors	ATM	<u>ACTIVE</u>
PO Box 1102	Fax: 086 509 7603					
Rayton	atm@lantic.net					
1001						
Quickco Trading 045 cc T/a: Timboard Unlimited		151			TBRD	<u>CANCELLED</u> <u>04-05-2022</u>
Nox Timbers	Tel: 072 437 1899	153	SANS 457-3	Product: Preservative Treated Eucalyptus poles, Structural and Fencing Poles Chemical: WCCA Hazard Class: H2, H3, H4 & H5 Process: Full Cell Process	NOX	<u>ACTIVE</u>
P.O.Box 15828, Nelspruit	theo@noxtimbers.co.za		SANS 1288	Product: Preservative Treated Timber Chemical: WCCA Hazard Class: H2, H3 and H4 Process: Full Cell Process		
1211						
Merensky OD		158			MERENSKY OD	<u>CANCELLED</u> <u>05/11/2024</u>

Eswatini Treated Timber	Tel: 00268 2472 8070	159	SANS 1288	Product: Preservative Treated Timber Chemical: WCCA Hazard Class: H2, H3 and H4 Process: Full Cell Process	ETT	<u>ACTIVE</u>
PO Box 6852	E-mail: troy.dodson@swaziplant.com		SANS 1783-1	General requirements of sawn softwood timber		
Mbabane			SANS 1783-2	Visual grade structural timber, Grade 5		
Eswatini			SANS 1783-4	Visual grade Brandering and Battens		
H100						
<b> </b>						
T/a: Diggersrest Timber Company (PTY) Ltd	Tel: 078 802 6212	162	SANS 457-3	Product: Fencing Poles and droppers Chemical: WCCA And creosote Hazard Class: H3, H4 & H5 Process: Full Cell Process & Creosote - open tank	DIG	<u>ACTIVE</u>
Postal Address:	Fax: 086 276 4009		SANS 1288	Product: Preservative Treated Timber Process: Full Cell Process & Creosote - open tank Chemical: WCCA And creosote Hazard Class: H2, H3, H4 and H5 Process: Full Cell Process		
PO Box 74	mark@diggersrest.co.za					
Tzaneen						
0850						
<b> </b>						
Name: Autumn Leaf Trading cc	Tel: 082 805 7001	164	SANS 1783-1	General requirements of sawn softwood timber	TJ	<u>ACTIVE</u>
T/a: Timber Junction	Fax: N/A		SANS 1783-2	Visual grade structural timber, Grade 5 including finger jointing.		
Postal Address: P O Box 601	E-mail: brucerachel1@gmail.com		SANS 10096	Finger jointed timber		
Hilton						
3245						
<b> </b>						
Name: Highlands Sawmill (Pty) Ltd	Tel: 076 549 3821	165	SANS 1288	Full-Cell Process WCCA Preservative Treated Timber Hazard Class H2 & H3	HS	<u>ACTIVE</u>
T/a: Highlands Sawmill	highlandssawmill1@gmail.com					
Postal Address: P O BOX 75,						
Harding						
4680						
<b> </b>						
DREVOTERM		201				<u>CANCELLED</u>

Name: Foresta Timber & Board (Pty) Ltd	Tel: 011 864 7966	207	SANS 1783-1	General requirements of sawn softwood timber	FTG	<u>ACTIVE</u>
T/a: Foresta Timber & Board (Pty) Ltd	Fax: 086 678 3325		SANS 1783-2	Visual grade structural timber, Grade 5 including finger jointing.		
Postal Address:	E-mail: michael@foresta.co.za		SANS 1783-4	Visual grade Brandering and Battens including finger jointing		
PO Box 11104			SANS 10096	Finger jointed timber		
Randhart						
1457						
Sunshine Manufacturing	Tel: 041 486 1132	230	SANS 545	Wooden Doors	Sunshine Mnfng	<u>ACTIVE</u>
4 Phillip Robinson Ave	Fax: -----					
Deal Party	dkibble@lantic.net					
Port Elizabeth	production@sunshinemnfg.co.za					
6012						
Lokuhle Trading and Projects T/a: Lokuhle Trading and Projects		224				<u>CANCELLED:</u> <u>09-03-2022</u>
Name: Lion Match Products (Pty) Ltd	Tel: 012 492 4026	232	SANS 1148	Wooden Safety Matches	Lion, Blue Lion, Zebra,	<u>ACTIVE</u>
T/a: Lion Match Products (Pty) Ltd	Fax: 012 542 3265				Zebra Plain, Pala Pala	
Postal Address:	rebeccam@lionmatch.co.za					
PO Box 911-057						
Rosslyn						
200						
Titan Structural Components		254			TSC	<u>CANCELLED</u> <u>2021/04/06</u>
Patula Sawmills (Pty) Ltd		258			PP	<u>CANCELLED:</u> <u>10/05/2025</u>
Numill marketing (Pty) Ltd Postnet Suit 248		259			NM	<u>CANCELLED</u>
Private Bag X15, Somerset West 7129						<u>20-04-2020</u>

Solid Doors (PTY) LTD		260			Solid Doors Ga-Rankua	<b>CANCELLED</b> <u>2021/02/01</u>
Limpopo Lumber Products cc		261			LLP	<b>CANCELLED</b> <u>2021/02/01</u>
Name: Umzimkhulu Treated Timbers(Pty) Ltd	Tel: 082 084 4410	265				<b>CANCELLED</b> <u>19/08/2024</u>
Knysna Leisure Industries cc		266				<b>CANCELLED:</b> <u>02-02-2024</u>
MLL Interiors cc		275			ECO-MD ECO- HD	<b>CANCELLED</b> <u>2021/02/01</u>
Name: The Umtombeni Trust	Tel: 082 337 5159	276	SANS 1288	Product: Preservative treated timber Chemical: WCCA Hazard class: H2, H3 and H4 Process: Full Cell	UMT	<u>ACTIVE</u>
T/a: The Umtombeni Trust	Fax: N/A					
Postal Address:	glenn@forestco.org.za					
PO Box 164						
Harding						
4680						
Company Name: Grand Timber (Pty) Ltd	Tel: 084 6831395	287	SANS 457-3	Product; Treated poles, structural poles Fencing poles and Droppers.	GRAND	<u>ACTIVE</u>
T/A: Grand Timber	E-mail: mandy@specoil.co.za		SANS 1288	Product: Preservative treated timber		
PO Box 373	grandtimber@specoil.co.za					
Louis Trichardt						
Sterkstroom Farm NA 17						
920						
Montigny Investment T/a: Swazi Poles		288				<b>CANCELLED</b>
Name: Swartland Investments (Pty) Ltd	Tel: 021 573 7500	282	SANS 545	Wooden Doors	MRB	<u>ACTIVE</u>

T/a: Swartland Investments (Pty) Ltd	Fax: 021 577 2760					
Postal Address:	derrick.nel@swartland.co.za					
PO Box 216	Ernest.adams@swartland.co.za					
Moorreesburg						
7310						
Name: Swartland Investments (Pty) Ltd	Tel: 022 433 8000	283	SANS 545	Wooden Doors	SBD	<u>ACTIVE</u>
T/a: Swartland Investments (Pty) Ltd	Fax: 022 557 2760					
Postal Address:	derrick.nel@swartland.co.za					
PO Box 216	Johan.opperman@swartland.co.za					
Moorreesburg						
7310						
Herrmann & Vogel Spol. s r.o.		290				<u>EXPIRED</u>
Setecept (Pty) LTD	Tel: 064 510 6152	292	SANS 545	Wooden Doors	SETECEPT	<u>ACTIVE</u>
P.O. Box 15313	Fax: 031 717 6868					
Westmead	niell@setecept.co.za					
3608						
Eland Pale		295				<u>CANCELLED:</u> <u>10-11-2023</u>
Fynbos Loggings cc	Tel: 083 605 9979	297	SANS 457-3	Product: Structural poles, guardrail posts and droppers Chemical: CCA Hazard class: H3 and H4 Process: Full cell process.	FB	<u>ACTIVE</u>
Fynbos Poles	Fax: 028 384 1587		SANS 1288	Product: Preservative Treated timber Chemical: CCA Hazard class: H2, H3 and H4 Process Full cell process		
PO Box 310	headoffice@fynbospoles.co.za					
Gansbaai	sales@fynbospoles.co.za					
7220						
Capio Lumber (Pty) Ltd		299				<u>CANCELLED</u>

						<b>28-06-2022</b>
<b>Name: La Provance Lys Werke (Pty) Ltd</b>	<b>Tel: 013 767 1433</b>	<b>300</b>	<b>SANS 1288</b>	<b>Product: Preservative-treated timber ,Chemical: WCCA, Hazard class: H2, H3, H4 and H5 Process: Full cell</b>	<b>LPP</b>	<b><u>ACTIVE</u></b>
<b>T/a: La Provance</b>	<b>E-mail; sales@laprovance.co.za</b>		<b>SANS 1783-1</b>	<b>General requirements</b>		
<b>Postal Address:</b>			<b>SANS 1783-3</b>	<b>Industrial timber</b>		
<b>P.O Box 246</b>			<b>SANS 457-3</b>	<b>Product: Treated poles, structural poles, fencing poles and droppers. Chemical: WCCA, Hazard class: H2, H3, H4 and H5, Process: Full cell</b>		
<b>Graskop</b>						
<b>1270</b>						
<b>Name: Panel &amp; Pane Joinery cc</b>	<b>Tel: 083 251 9264</b>	<b>302</b>	<b>SANS 545</b>	<b>Wooden Doors</b>	<b>Panel &amp; Pane Joinery</b>	
<b>T/a: Panel &amp; Pane Joinery</b>	<b>Fax: N/A</b>					<b><u>ACTIVE</u></b>
<b>Postal Address: P.O Box 347</b>	<b>E-mail: terry@panelandpane.co.za</b>					
<b>Gillitts</b>						
<b>3603</b>						
<b>Tiger Timbers KYA (Pty) LTD T/a: Tiger Timbers</b>		<b>304</b>				<b><u>CANCELLED</u></b>
<b>PO box 30955 Kyalami</b>						<b><u>15-03-2023</u></b>
<b>Solid Doors (PTY) LTD</b>	<b>Tel: 011 234 1901</b>	<b>307</b>	<b>SANS 545</b>	<b>Wooden Doors</b>	<b>Solid Doors</b>	<b><u>ACTIVE</u></b>
<b>6 Mathinus Street</b>	<b>Fax: 011 234 1925</b>					
<b>Brits</b>	<b>E-mail: celeste@soliddoors.co.za</b>					
<b>North West</b>						
<b>250</b>						
<b>XLAM South Africa (Pty) Ltd</b>	<b>Tel:084 661 1095</b>	<b>309</b>	<b>SANS 8892</b>	<b>Cross-laminated timber, softwood. Grades 5,7,8,10 &amp; 14</b>	<b>XLAM</b>	<b><u>ACTIVE</u></b>
<b>Corner White and Tokai Road Retreat</b>	<b>jamie@xlam.co.za</b>					
<b>Cape Town 7945</b>						

Name: G-Worx Fourteen (Pty) Ltd	Tel: 047 531 6051 / 2	315	SANS 457-3	Product: Structural poles, guardrail posts and droppers Chemical: CCA Hazard class: H3 and H4 Process: Full cell process	GWX	<u>ACTIVE</u>
T/a: G-Worx Fourteen (Pty) Ltd	Fax: 086 606 1923		SANS1288	Product: Treated timber Chemical: CCA Hazard class: H2, H3 and H4 Process Full cell process		
Postal Address:	E-mail: tandie@gworxfourteen.co.za					
Private Bag 6022	Nomveliso: debtors@gworxfourteen.co.za					
Mthatha						
5099						
<b>Name: Agentimber (Pty) Ltd</b>						
		317				<b>CANCELLED</b>
<b>Setecept</b>						
P O Box 15313	Tel: 064 510 6152	318	SANS 545	Wooden Doors		<u>ACTIVE</u>
Westmead	Fax: 031 717 6868					
3608	niell@setecept.co.za					
<b>Name: JP Bothma</b>						
	Tel: 083 254 4340	321	SANS 1288	Product: Preservative-treated timber Chemical: WCCA Hazard class: H2, H3 and H4 Process: Full cell	CP	<u>ACTIVE</u>
T/a: Clifton Pine	E-mail: cliftonpine7@gmail.com		SANS 1783-1	General requirements of sawn softwood timber		
Postal Address:			SANS 1783-2	Visual grade structural timber, Grade 5		
Postnet Suite 1205						
Private Bag x9013						
Ermelo						
2350						

Name: Pierre Dreyer Roofing cc	Tel: 082 656 0433 (Pierre Dreyer)	323	SANS 1288	Product: Preservative treated timber Chemical: WCCA Hazard Class: H2, H3 and H4 Process: WCCA: full cell process	HTS	<u>ACTIVE</u>
T/a: Houteniqua Treatment Services	Tel: 082 869 3235 (Arnold Rossouw)			Product: Preservative treated timber Chemical: Vacsol Azure Type O Hazard Class: H2 Process: Vacuum impregnation double vacuum		
Postal Address:	E-mail: accounts@pletroofing.co.za					
PO Box 540	arnold@houteniqua.co.za					
Plettenberg Bay						
6600						
Trade Avail 361 cc	Tel: 021 577 1818	333	SANS 545	Meranti & Kiaat hardwood batten door, framed, ledged and braced	BW 1 FL & B	<u>ACTIVE</u>
T/a: Best Wood Joinery	E-mail: charles@bestgroup.co.za					
12 Josias Blanckenberg Street						
Atlantis Industrial						
Cape Town						
7349						
Name: Sotsho Treated Timbers (Pty) Ltd	Tel: 064 801 2220	334	SANS 457 - 3:	Full-Cell Process Eucalyptus Structural & Agricultural Poles, Fencing Poles & Droppers. Hazard Class H2, H3, H4 & H5.	Sotsho	<u>ACTIVE</u>
T/a: Sotsho Treated Timbers	Fax: N/A		SANS 1288:	Chemical: WCCA Hazard Class: H2, H3, H4 & H5. Process: Full Cell Process		
PO Box 560	E-mail: sotshongaye.sivuyise94@gmail.com					
Flagstaff, 4810						
Name: Real Wooden Doors (Pty) Ltd	Tel: 011 882 6506	335	SANS 545	Wooden Doors	Lotus Wood Products	<u>ACTIVE</u>
T/a: Real Wooden Doors (Pty) Ltd	colin@rwdoors.co.za				Real Wooden Doors	
Postal Address: P O Box 10342						
Johannesburg						
2000						

Name: Raiply Malawi Ltd	Tel: 00265999071689	336	SANS 754	Product: Eucalyptus Transmission poles Chemical: CREOSOTE Hazard class: H4 Process: Creo - Full Cell		<u>ACTIVE</u>
T/a:Raiply Malawi Ltd	E-mail: biju@raiplyblantyre.com		SANS 457-3	Product: Building, Fencing Poles and Droppers Chemical: CREOSOTE Hazard class:H3 and H4 Process: Creo - Full Cell		
Post Bag No1			SANS 1288	Product: Preservative Treated Timber Chemical: CREOSOTE Hazard class: H3 and H4 Process: Creo - Full Cell		
Chikangawa			SANS 1460	Glulam products not for structural purpose. Boards and shelving.		
Mzimba			SANS 540-1	Fibreboard products Part 1: Uncoated fibreboards		
Malawi			SANS 540 -2	Fibreboard products Part 2: Coated fibreboards		
			SANS 929	Plywood		
Mass Timber Technologies (PTY) Ltd	Tel: 082 826 3434	339	SANS 8892	Cross Laminated Timber	MTT	<u>ACTIVE</u>
T/a: Mass Timber Technologies	E-mail: tyron@masstimbtech.co.za					
Postal Address:						
16 Macarthur Avenue						
Robindale						
Johannesburg						
2194						
Hardwood Doors (Pty) Ltd	Tel: 0125466520	343	SANS 545	Wooden Doors	HD and HH	<u>ACTIVE</u>
Postal Address:	admin@hwds.co.za					
Po Box 18411						
Pretoria North						
116						
Pages Timber	Tel: 0827878162	345	SANS 545	Wooden Doors	PT	<u>ACTIVE</u>
Po Box 10540	E-mail: allan@pagestimber.co.za					

Strubenvale Springs 1570						
Holzbau Cpt (Pty) Ltd	Tel (Cell only): 083 619 0473	350	SANS 1460	Laminated beams	HOLZBAUCPT	<u>ACTIVE</u>
13 Elektron Road	Fax: -----		SANS 10096	Finger-jointed timber		
Bellville	E-mail: mj@holzbaucpt.com					
Cape Town						
7530						
Name: Heintash Tree Fellows (Pty) Ltd		373				<b>CANCELLED:</b> <b>15/04/2025</b>
Name: ELS Timber Products (Pty)	Tel: 087 158 4422	395	SANS 929	Plywood	ELS	<u>ACTIVE</u>
T/a: ELS Timber Products	E-mail: johan@elstimbers.co.za					
Postal Address: PO Box 3595						
White River						
1240						
Name: BBS Empangeni cc	Tel: 076 411 0493	410	SANS 1900	Prefabricated roof trusses	Trusses:	<u>ACTIVE</u>
T/a: BBS Mica Empangeni	E-mail: truss1@bbsgroup.co.za		SANS 1783-1	General requirements	BBS Mica	
Postal Address: PO Box 7369			SANS 1783-2	Visual grade 5 structural timber	Structural Timber:	
Empangeni Rail					BBM	
3910						
Name: Umzimkhulu Treated Timbers (Pty) Ltd	Tel: 082 084 4410	420	SANS 457-3	Product: Eucalyptus structural poles, fencing poles, guardrail posts, droppers and spacer blocks	UTT	<u>ACTIVE</u>
T/a: Umzimkhulu Treated Timbers	E-mail: ncebamlonzi@gmail.com		SANS 1288	Product: Preservative-treated timber Chemical: Wcca & Creosote Hazard class: H3 & H4 Process: Full cell		
Postal Address: PO Box 530						
Umzimkhulu						
3297						

Name: Safedoor Manufacturing (Pty) Ltd	Tel: 073 334 4656	444	SANS 545	Barn Doors (Class4: light, medium & heavy duty) Carolina Doors (Class4: light, medium & heavy duty) Original	SAFEDOR	<u>ACTIVE</u>
T/a: Safedoor Manufacturing	E-mail: pmb@safedoor.co.za					
Postal Address: Unit 7 - 270 Currie Road						
Musgrave						
Durban						
Kwa-Zulu Natal						
4001						
<b> </b>						
Name: Tunilex (Pty)Ltd	Tel:(021) 534 1157	453	SANS 545	DLDH – Flush Door, Pine interior with skin both sides.	Kaapstadt Doors	<u>ACTIVE</u>
T/a: Kaapstadt Doors.	E-mail: razack@kdoors.co.za			Light Duty, Class 4(Dry interior)		
Postal Address:				•		
Block L				DBBH – Hardwood Batten Door, Double Boarded		
Greenford Office Estate				Heavy Duty Class 1. ((Exterior)		
Punters Way				•		
Kenilworth				DS 37 - Hardwood Batten Door front and back.		
Western Cape				Heavy Duty, Class 1 (Exterior)		
7708						
<b> </b>						
Name: Richard Poles and Timber (Pty) Ltd	Tel: 063 568 6587	449	SANS 457-3	Wooden poles, Droppers, Guardrail Posts and Spacer Blocks	RPT	<u>ACTIVE</u>
T/a: Richard Poles and Timber	E-mail: gliontrans@gmail.com		SANS 1288	Preservative Treated Timber		
Postal Address:						
Stand 605						
3 Nywerheid Street						
Modimolle						
Limpopo						
0510						
<b> </b>						
Name: TD Timbers (Pty) Ltd	Tel: 072 108 0471	440	SANS 1783 Part 1, 2 and 4	Sawn softwood timber	T.D.T	<u>ACTIVE</u>
T/a: TD Timbers	E-mail: tor@tdtimbers.co.za		SANS 1460	Laminated timber (gluelam)		
Postal Address:			SANS 10096	The manufacture of finger-jointed structural timber		
PO Box 1732						
Dundee						
KZN						
3000						

--	--	--	--	--	--	--